## Author index

Acharya, R., see Sudarshan, K. 205

Alves, M.R.

—, Cunha, S.C., Amaral, J.S., Pereira, J.A. and Oliveira, M.B.

Classification of PDO olive oils on the basis of their sterol composition by multivariate analysis 166

Amaral, J.S., see Alves, M.R. 166

Arcos Martínez, M.J., see Burgoa Calvo, M.E. 74

Arzamastsev, A.P., see Rodionova, O.Y. 151

Aucelio, R.Q., see Pacheco, W.F. 67

Bachmatova, I., see Lapenaite, I. 140

Biju, V.M., see Kala, R. 51

Bonato, P.S., see de Santana, F.J.M. 96

Brown, R.B., see Ha, J. 59

Burbank, T.L., see Burkhardt, M.R. 104

Burger, J., see Rodionova, O.Y. 151

Burgoa Calvo, M.E.

-, Domínguez Renedo, O. and Arcos Martínez, M.J.

Optimization of the experimental parameters in the determination of lamotrigine by adsorptive stripping voltammetry 74

Burkhardt, M.R.

-, Zaugg, S.D., Burbank, T.L., Olson, M.C. and Iverson, J.L.

Pressurized liquid extraction using water/isopropanol coupled with solid-phase extraction cleanup for semivolatile organic compounds, polycyclic aromatic hydrocarbons (PAH), and alkylated PAH homolog groups in sediment 104

Carvalho, M.L., see Marguí, E. 197

Cela, R., see Martínez-Uruñuela, A. 117

Cha, G.S., see Ha, J. 59

Cornett, R.J., see Larivière, D. 188

Costa-Fernández, J.M., see Fernández-Argüelles, M.T. 20

Costi, E.M.

-, Sicilia, M.D., Rubio, S. and Pérez-Bendito, D.

Quantitation of fusidane antibiotics in pharmaceuticals using the surfactant-dye binding degree method 159

Cunha, S.C., see Alves, M.R. 166

Darwish, I.A.

Analytical study for the charge-transfer complexes of losartan potassium 212

de Oliveira, A.R.M., see de Santana, F.J.M. 96

de Santana, F.J.M.

-, de Oliveira, A.R.M. and Bonato, P.S.

Chiral liquid chromatographic determination of mirtazapine in human plasma using two-phase liquid-phase microextraction for sample preparation 96

Domínguez Renedo, O., see Burgoa Calvo, M.E. 74

Dorofeyev, V.L., see Rodionova, O.Y. 151

Evans, R.D., see Larivière, D. 188

Farias, P.A.M., see Pacheco, W.F. 67

Fekete, Z.A.

—, Héberger, K., Király, Z. and Görgényi, M.

Temperature dependence of solvation heat capacities by gas chromatography 134

Fernández-Argüelles, M.T.

—, Jin, W.J., Costa-Fernández, J.M., Pereiro, R. and Sanz-Medel, A. Surface-modified CdSe quantum dots for the sensitive and selective determination of Cu(II) in aqueous solutions by luminescent measurements 20

Ge, X., see Peng, Q. 26

Geladi, P., see Rodionova, O.Y. 151

Gong, S., see Peng, Q. 26

González-Sáiz, J.M., see Martínez-Uruñuela, A. 117

Görgényi, M., see Fekete, Z.A. 134

Goswami, A., see Sudarshan, K. 205

Ha, J.

—, Martin, S.M., Jeon, Y., Yoon, I.J., Brown, R.B., Nam, H. and Cha, G.S.

A polymeric junction membrane for solid-state reference electrodes 59

Hauser, P.C., see Knake, R. 1

Héberger, K., see Fekete, Z.A. 134

Hidalgo, M., see Marguí, E. 197

Hodgson, A.W.E., see Knake, R. 1

Hopke, P.K., see Zhao, W. 179

Hosoya, K., see Kubo, T. 45

Hou, F., see Peng, Q. 26

Houmøller, L.P., see Rodionova, O.Y. 151

Hoveizavi, R., see Pourreza, N. 124

Hu, S.-r., see Liu, J.-M. 32

Iverson, J.L., see Burkhardt, M.R. 104

Jacquinot, P., see Knake, R. 1

Jeon, Y., see Ha, J. 59

Jiang, C., see Peng, Q. 26

Jin, W.J., see Fernández-Argüelles, M.T. 20

Kala, R.

-, Biju, V.M. and Rao, T.P.

Synthesis, characterization, and analytical applications of erbium(III) ion imprinted polymer particles prepared via  $\gamma$ -irradiation with different functional and crosslinking monomers 51

Kasai, S.

—, Shiku, H., Torisawa, Y.-s., Noda, H., Yoshitake, J., Shiraishi, T., Yasukawa, T., Watanabe, T., Matsue, T. and Yoshimura, T.

Real-time monitoring of reactive oxygen species production during differentiation of human monocytic cell lines (THP-1) 14

Kaya, K., see Kubo, T. 45

Király, Z., see Fekete, Z.A. 134

Knake, R.

-, Jacquinot, P., Hodgson, A.W.E. and Hauser, P.C.

Amperometric sensing in the gas-phase 1

Koppisetti, G.

-, Siriki, A., Sukala, K. and Subbaraju, G.V.

Estimation of L-5-hydroxytryptophan in rat serum and *Griffonia* seed extracts by liquid chromatography-mass spectrometry 129

Kubo, T.

—, Hosoya, K., Sano, T., Nomachi, M., Tanaka, N. and Kaya, K. Selective separation of brominated bisphenol A homologues using a polymer-based medium prepared by the fragment imprinting technique 45 Kurtinaitiene, B., see Lapenaite, I. 140

Lapenaite, I.

—, Kurtinaitiene, B., Razumiene, J., Laurinavicius, V., Marcinkeviciene, L., Bachmatova, I., Meskys, R. and Ramanavicius, A. Properties and analytical application of PQQ-dependent glycerol dehydrogenase from *Gluconobacter* sp. 33 140

Larivière, D.

—, Reiber, K.M., Evans, R.D. and Cornett, R.J.

Determination of <sup>210</sup>Pb at ultra-trace levels in water by ICP-MS 188

Laurinavicius, V., see Lapenaite, I. 140

Li, L.-D., see Liu, J.-M. 32

Li, P.-p., see Liu, J.-M. 32

Li, X.-L., see Liu, J.-M. 32

Li, Y., see Wu, L. 39

Liu, J.-M.

—, Hu, S.-r., Yang, Z.-y., Li, X.-L., Li, P.-p., Xu, H.-h., Zhu, G.-h. and Li, L.-D.

Determination of protein with methylene blue-sodium tetraphenylborate phosphorescence probe solid substrate-room temperature phosphorimetry 32

Marcinkeviciene, L., see Lapenaite, I. 140

Marguí, E.

-, Queralt, I., Carvalho, M.L. and Hidalgo, M.

Comparison of EDXRF and ICP-OES after microwave digestion for element determination in plant specimens from an abandoned mining area 197

Martin, S.M., see Ha, J. 59

Martínez-Uruñuela, A.

—, Rodríguez, I., Cela, R., González-Sáiz, J.M. and Pizarro, C. Development of a solid-phase extraction method for the simultaneous determination of chloroanisoles and chlorophenols in red wine using gas chromatography—tandem mass spectrometry 117

Matsue, T., see Kasai, S. 14

Meskys, R., see Lapenaite, I. 140

Nair, A.G.C., see Sudarshan, K. 205

Nam, H., see Ha, J. 59

Noda, H., see Kasai, S. 14

Nomachi, M., see Kubo, T. 45

Oliveira, M.B., see Alves, M.R. 166

Olson, M.C., see Burkhardt, M.R. 104

Özaltın, N., see Yardımcı, C. 88

Pacheco, W.F.

-, Farias, P.A.M. and Aucelio, R.Q.

Square-wave adsorptive stripping voltammetry for the determination of cyclofenil after photochemical derivatization 67

Peng, Q

—, Hou, F., Ge, X., Jiang, C. and Gong, S.

Fluorimetric study of the interaction between nicotinamide adenine dinucleotide phosphate and tetracycline-europium complex and its application 26

Pereira, J.A., see Alves, M.R. 166

Pereiro, R., see Fernández-Argüelles, M.T. 20

Pérez-Bendito, D., see Costi, E.M. 159

Pizarro, C., see Martínez-Uruñuela, A. 117

Pomerantsev, A.L., see Rodionova, O.Y. 151

Pourreza, N.

- and Hoveizavi, R.

Simultaneous preconcentration of Cu, Fe and Pb as methylthymol blue complexes on naphthalene adsorbent and flame atomic absorption determination 124

Prather, K.A., see Zhao, W. 179

Oin, X., see Zhao, W. 179

Queralt, I., see Marguí, E. 197

Ramanavicius, A., see Lapenaite, I. 140

Rao, T.P., see Kala, R. 51

Razumiene, J., see Lapenaite, I. 140

Reddy, A.V.R., see Sudarshan, K. 205

Reiber, K.M., see Larivière, D. 188

Rodionova, O.Y.

-, Houmøller, L.P., Pomerantsev, A.L., Geladi, P., Burger, J.,

Dorofeyev, V.L. and Arzamastsev, A.P.

NIR spectrometry for counterfeit drug detection. A feasibility study

Rodríguez, I., see Martínez-Uruñuela, A. 117

Rubio, S., see Costi, E.M. 159

Sano, T., see Kubo, T. 45

Sanz-Medel, A., see Fernández-Argüelles, M.T. 20

Shiku, H., see Kasai, S. 14

Shiraishi, T., see Kasai, S. 14

Sicilia, M.D., see Costi, E.M. 159

Siriki, A., see Koppisetti, G. 129

Subbaraju, G.V., see Koppisetti, G. 129

Sudarshan, K.

—, Tripathi, R., Nair, A.G.C., Acharya, R., Reddy, A.V.R. and Goswami, A.

A simple method for correcting the neutron self-shielding effect of matrix and improving the analytical response in prompt gamma-ray neutron activation analysis 205

Sukala, K., see Koppisetti, G. 129

Tanaka, N., see Kubo, T. 45

Torisawa, Y.-s., see Kasai, S. 14

Tripathi, R., see Sudarshan, K. 205

Wang, X., see Yang, X. 81

Wang, Z.

-, Zhang, D. and Zhu, D.

A sensitive and selective "turn on" fluorescent chemosensor for Hg(II) ion based on a new pyrene-thymine dyad 10

Watanabe, T., see Kasai, S. 14

Wu, L.

—, Zhu, K., Zhao, M. and Li, Y.

Theoretical and experimental study of nicotinamide molecularly imprinted polymers with different porogens 39

Xu, H.-h., see Liu, J.-M. 32

Yang, X.

-, Wang, X. and Zhang, X.

Capillary zone electrophoresis separation of low concentration stimulants in human urine with laser-induced fluorescence detection 81

Yang, Z.-y., see Liu, J.-M. 32

Yardımcı, C.

— and Özaltın, N.

Method development and validation for the simultaneous determination of rosiglitazone and metformin in pharmaceutical preparations by capillary zone electrophoresis 88

Yasukawa, T., see Kasai, S. 14

Yoon, I.J., see Ha, J. 59

Yoshimura, T., see Kasai, S. 14

Yoshitake, J., see Kasai, S. 14

Zaugg, S.D., see Burkhardt, M.R. 104

Zhang, D., see Wang, Z. 10

Zhang, X., see Yang, X. 81

Zhao, M., see Wu, L. 39

Zhao, W.

-, Hopke, P.K., Qin, X. and Prather, K.A.

Predicting bulk ambient aerosol compositions from ATOFMS data with

ART-2a and multivariate analysis 179

Zhu, D., see Wang, Z. 10

Zhu, G.-h., see Liu, J.-M. 32

Zhu, K., see Wu, L. 39